



**CENTREFIRE RIFLE
CARTRIDGES**

GECO STAR

GECO .270 Win. STAR 8,4g

Item no:	2428985
Bullet type:	Monolithic
Bullet Weight:	8.4 g / 130 gr
Barrell Length:	600 mm
Caliber:	.270 Win.
Unit size:	20
Lead:	No
Recoil:	Light
Usage for:	Light Game Medium Game

HIGHLIGHTS

- Lead-free deformation bullet
- The hollow-point design provides deformation you can count on from any distance
- High intrinsic precision and good game preservation
- GECO COPPER CORE provides maximum penetration and narrow flight path

DESCRIPTION

GECO STAR is a lead-free deformation bullet designed for maximum penetration and a high residual weight.



BALLISTIC DATA

Metric


Velocity		Energy		Zero Range		
V0 [m/s]	910	E0 [J]	3475		100m	MRD* 176m
V50 [m/s]	840	E50 [J]	2964	50m	-0.8	1.3
V100 [m/s]	775	E100 [J]	2523	100m	∅	4
V150 [m/s]	710	E150 [J]	2117	150m	-3.3	2.7
V200 [m/s]	650	E200 [J]	1775	200m	-11.6	-3.5
V250 [m/s]	592	E250 [J]	1472	250m	-25.7	-15.6
V300 [m/s]	539	E300 [J]	1220	300m	-46.8	-34.8

Imperial

Velocity		Energy		Zero Range		
V0 [ft/s]	2986	E0 [ft/lbs]	2566		100yds	MRD* 195yds
V50 [ft/s]	2777	E50 [ft/lbs]	2220	50yds	-0.4	0.3
V100 [ft/s]	2577	E100 [ft/lbs]	1911	100yds	∅	1.6
V150 [ft/s]	2384	E150 [ft/lbs]	1636	150yds	-0.9	1.5
V200 [ft/s]	2198	E200 [ft/lbs]	1391	200yds	-3.3	-0.2
V250 [ft/s]	2022	E250 [ft/lbs]	1177	250yds	-7.5	-3.6
V300 [ft/s]	1854	E300 [ft/lbs]	989	300yds	-13.9	-9.2



Bullet construction of GECO STAR



1 GECO HOLLOW POINT:

For reliable deformation at all distances

2 GECO GROOVES:

For maximum precision and optimum ballistics

3 GECO COPPER CORE:

For deep penetration and high knock down power



Product Datasheet

